



PRODUCT DATA SHEET

Issue Code :M524-ECR30A / 0605

Date : 27-Jan-09

Replaces :All previous dated

M524-ECR30A

The product M524-ECR30A consists of Advantex™ 777B-13µ-18mm glass fibres. The glass fibre veil is bound by a modified Acrylic resin which is compatible with PE, PP, epoxy, vinyl ester and polyester resins. Designed to be used as a surfacing tissue for GRP laminates.

Product acceptance limits and Owens Corning test methods

PROPERTY	TEST METHOD	UNIT	SPECIFICATION (NOMINAL)	NORMAL LIMITATIONS	
				MAX.	MIN.
Area Weight	PTS-L-002	g/m ²	30	33	27
Binder Content	PTS-L-003	%	9	11	7
Thickness	PTS-L-007	mm	0.33	0.37	0.29
Air Permeability (@ 100Pa)	PTS-L-029	l/m ² s	6400	7040	5760
Tensile Strength	PTS-L-015	N/50mm			
Longitudinal					50
Transverse					35

MANUFACTURER: **OWENS CORNING VEIL U.K. LIMITED**
P.O. Box 30,
Liversedge,
West Yorkshire,
England,
WF15 8AA.

CUSTOMER SERVICE TEAM:
Owens Corning Composites
Chaussée de La Hulpe 166
B-1170 Brussels
Belgium
+32 2 674 82 11 (tel)
+32 2 674 82 45 (fax)