



# PRODUCT DATA SHEET

Issue Code :M524-ECR30A / 0605

Date : 27-Jan-09

Replaces :All previous dated

## M524-ECR30A

The product M524-ECR30A consists of Advantex™ 777B-13µ-18mm glass fibres. The glass fibre veil is bound by a modified Acrylic resin which is compatible with PE, PP, epoxy, vinyl ester and polyester resins. Designed to be used as a surfacing tissue for GRP laminates.

### *Product acceptance limits and Owens Corning test methods*

PROPERTY	TEST METHOD	UNIT	SPECIFICATION (NOMINAL)	NORMAL LIMITATIONS	
				MAX.	MIN.
Area Weight	PTS-L-002	g/m <sup>2</sup>	30	33	27
Binder Content	PTS-L-003	%	9	11	7
Thickness	PTS-L-007	mm	0.33	0.37	0.29
Air Permeability (@ 100Pa)	PTS-L-029	l/m <sup>2</sup> s	6400	7040	5760
Tensile Strength	PTS-L-015	N/50mm			
Longitudinal					50
Transverse					35

MANUFACTURER: **OWENS CORNING VEIL U.K. LIMITED**  
P.O. Box 30,  
Liversedge,  
West Yorkshire,  
England,  
WF15 8AA.

CUSTOMER SERVICE TEAM:  
Owens Corning Composites  
Chaussée de La Hulpe 166  
B-1170 Brussels  
Belgium  
+32 2 674 82 11 (tel)  
+32 2 674 82 45 (fax)